

MATERIAL SAFETY DATA SHEET

DUMONDE MSDS: 67378E-02 02/25/99

INDUSTRIAL 2-CYCLE OIL

TELEPHONE NUMBER:

EMERGENCY ASSISTANCE DUMONDE TECH RACING OILS: 425-806-0948
CHEMTREC: 800-424-9300 PRODUCT CODE: EQUIVA 67678E-02

NAME AND ADDRESS

DUMONDE DESIGN GROUP INC

P.O. BOX 3262

KIRKLAND WA. 98083

SECTION I**NAME**

PRODUCT: INDUSTRIAL 2-CYCLE OIL
 CHEM NAME: MIXTURE (SEE SECTION II-A)
 CHEM FAMILY: PETROLEUM HYDROCARBON; MARINE OIL
 DUMONDE CODE: 1401, 1404
 HEALTH HAZARD: 1 FIRE HAZARD: 1 REACTIVITY: 0

SECTION II-A**PRODUCT/INGREDIENT**

NO.	COMPOSITION	CAS NO.	PERCENT
p	INDUSTRIAL 2-CYCLE OIL	MIXTURE	100
I	HIGHLY REFINED PETROLEUM OIL	MIXTURE	40-50
2	ADDITIVES	MIXTURE	50-60

* CONTAINS: 64742-54-7

NFPA HAZARD RATING: HEALTH 0 FIRE 1 REACTIVITY 0

0

SECTION II-B**ACUTE TOXICITY DATA**

NO.	ACUTE ORAL LD50	ACUTE DERMAL LD50	ACUTE INHALATION LC50
p	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE
1	>5 G/KG (RAT)-	>5 G/KG (RABBIT)*	NOT AVAILABLE

* BASED ON API DATA

SECTION III**HEALTH INFORMATION**

THE HEALTH EFFECTS NOTED BELOW ARE CONSISTENT WITH REQUIREMENTS UNDER THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200).

EYE CONTACT: LUBRICATING OILS ARE GENERALLY CONSIDERED NO MORE THAN MINIMALLY IRRITATING TO THE EYES.

SKIN CONTACT: LUBRICATING OILS ARE GENERALLY CONSIDERED NO MORE THAN MILDLY IRRITATING TO THE SKIN. PROLONGED AND REPEATED CONTACT MAY RESULT IN VARIOUS SKIN DISORDERS SUCH AS DERMATITIS, FOLLICULITIS OR OIL ACNE.

INHALATION: INHALATION OF VAPOR (GENERATED AT HIGH TEMPERATURES ONLY) OR OIL MIST FROM THIS PRODUCT MAY RESULT IN MILD IRRITATION OF THE UPPER RESPIRATORY TRACT AND MAY CAUSE HEADACHES, DIZZINESS, ANESTHESIA, DROWSINESS, UNCONSCIOUSNESS, AND OTHER CENTRAL NERVOUS SYSTEM EFFECTS.

INGESTION: LUBRICATING OILS ARE GENERALLY CONSIDERED NO MORE THAN SLIGHTLY TOXIC IF SWALLOWED.

SIGNS AND SYMPTOMS: IRRITATION AS NOTED ABOVE.

AGGRAVATED MEDICAL CONDITIONS:

PREEXISTING SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO

THIS PRODUCT.

OTHER HEALTH EFFECTS:

THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER HAS DETERMINED THERE IS SUFFICIENT EVIDENCE FOR THE CARCINOGENICITY IN EXPERIMENTAL ANIMALS OF USED MOTOR OILS. HANDLING PROCEDURES AND SAFETY PRECAUTIONS IN THE MSDS SHOULD BE FOLLOWED TO MINIMIZE EMPLOYEE'S EXPOSURE TO THE USED PRODUCT.

SECTION IV OCCUPATIONAL EXPOSURE LIMITS

COMP NO.	OSHA PEL/TWA	OSHA PEL/CEILING	TLV/TWA	ACGIH TLV/STEL	OTHER
1	5 MG/M3*	NONE	5	10 MG/M3*	
2			MG/M3*		50 PPM**

*OIL MIST, MINERAL. **RECOMMENDED BY SUPPLIER FOR TOTAL HYDROCARBONS..

SECTION V EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION.

SKIN CONTACT: REMOVE CONTAMINATED CLOTHING AND WIPE EXCESS OFF. WASH WITH SOAP AND WATER OR A WATERLESS HAND CLEANER FOLLOWED BY SOAP AND WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION.

INHALATION: REMOVE VICTIM TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION.

INGESTION: DO NOT INDUCE VOMITING. IN GENERAL NO TREATMENT IS NECESSARY UNLESS LARGE QUANTITIES OF PRODUCT ARE INGESTED. HOWEVER, GET MEDICAL ATTENTION.

NOTE TO PHYSICIAN: IN GENERAL, EMESIS INDUCTION IS UNNECESSARY IN HIGH VISCOSITY, LOW VOLATILITY PRODUCTS, I.E., MOST OILS AND GREASES.

SECTION VI SUPPLEMENTAL HEALTH INFORMATION

NONE IDENTIFIED,

SECTION VII PHYSICAL DATA

BOILING POINT (DEG F):	SPECIFIC GRAVITY (H2O = 1):	VAPOR PRESSURE (MM HG):
NOT AVAILABLE	0.8740	<0.1
MELTING POINT (DEG F):	SOLUBILITY IN WATER:	VAPOR DENSITY (AIR = 1):
NOT AVAILABLE	NEGLIGIBLE	NOT AVAILABLE
		VISCOSITY: 50
		(CS @ 104 DEG F)

EVAPORATION RATE (NORMAL BUTYL ACETATE = 1): NOT AVAILABLE
 APPEARANCE AND ODOR: BLUE LIQUID. SLIGHT HYDROCARBON ODOR.
 PHYS/CHEM PROPERTIES: SEE ABOVE FOR DETAILS

SECTION VIII FIRE AND EXPLOSION HAZARDS

FLASH POINT AND METHOD: 226 DEG F (PMCC)
 FLAMMABLE LIMITS/PERCENT VOLUME IN AIR: LOWER: N/AV HIGHER: N/AV
 EXTINGUISHING MEDIA:
 USE WATER FOG, FOAM, DRY CHEMICAL OR CO2. DO NOT USE A DIRECT STREAM OF WATER. PRODUCT WILL FLOAT AND CAN BE REIGNITED ON SURFACE OF WATER.
 SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS:
 MATERIAL WILL NOT BURN UNLESS PREHEATED. DO NOT ENTER CONFINED FIRE-SPACE WITHOUT FULL BUNKER GEAR (HELMET WITH FACE SHIELD, BUNKER COATS, GLOVES AND RUBBER BOOTS), INCLUDING A POSITIVE-PRESSURE NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER.

UNUSUAL FIRE AND EXPLOSION HAZARDS:
NONE IDENTIFIED

SECTION IX REACTIVITY

STABILITY: STABLE HAZARDOUS POLYMERIZATION WILL NOT OCCUR

CONDITIONS AND MATERIALS TO AVOID:

AVOID HEAT, OPEN FLAMES AND OXIDIZING MATERIALS.

HAZARDOUS DECOMPOSITION PRODUCTS:

THERMAL DECOMPOSITION PRODUCTS ARE HIGHLY DEPENDENT ON THE COMBUSTION CONDITIONS. A COMPLEX MIXTURE OF AIRBORNE SOLID, LIQUID, PARTICULATES AND GASES WILL EVOLVE WHEN THIS MATERIAL UNDERGOES PYROLYSIS OR COMBUSTION.

CARBON MONOXIDE, OXIDES OF NITROGEN, AND OTHER UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED UPON COMBUSTION.

SECTION X EMPLOYEE PROTECTION

RESPIRATORY PROTECTION:

IF EXPOSURE MAY OR DOES EXCEED OCCUPATIONAL EXPOSURE LIMITS (SECTION IV) USE A NIOSH-APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. IN ACCORD WITH 29 CFR 1910.134 USE EITHER AN ATMOSPHERE-SUPPLYING RESPIRATOR OR AN AIR-PURIFYING RESPIRATOR FOR ORGANIC VAPORS AND PARTICULATES.

PROTECTIVE CLOTHING

WEAR CHEMICAL RESISTANT GLOVES AND OTHER PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE SKIN CONTACT. WEAR SAFETY GOGGLES TO AVOID EYE CONTACT. TEST DATA FROM PUBLISHED LITERATURE AND/OR GLOVE AND CLOTHING MANUFACTURERS INDICATE THE BEST PROTECTION IS PROVIDED BY NITRILE GLOVES.

ADDITIONAL PROTECTIVE MEASURES:

NONE IDENTIFIED

SECTION XI ENVIRONMENTAL PROTECTION

SPILL OR LEAK PROCEDURES:

MAY BURN ALTHOUGH NOT READILY IGNITABLE. USE CAUTIOUS JUDGMENT WHEN CLEANING UP LARGE SPILLS. *** LARGE SPILLS *** WEAR RESPIRATOR AND PROTECTIVE CLOTHING AS APPROPRIATE. SHUT OFF SOURCE OF LEAK IF SAFE TO DO SO. DIKE AND CONTAIN. REMOVE WITH VACUUM TRUCKS OR PUMP TO STORAGE SALVAGE VESSELS. SOAK UP RESIDUE WITH AN ABSORBENT SUCH AS CLAY, SAND, OR OTHER SUITABLE MATERIALS; DISPOSE OF PROPERLY. FLUSH AREA WITH WATER TO REMOVE TRACE RESIDUE. *** SMALL SPILLS *** TAKE UP WITH AN ABSORBENT MATERIAL AND DISPOSE OF PROPERLY.

SECTION XII SPECIAL PRECAUTIONS

MINIMIZE SKIN CONTACT. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES, INCLUDING SHOES, THAT CANNOT BE DECONTAMINATED.

STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

SECTION XIII TRANSPORTATION REQUIREMENTS

DEPARTMENT OF TRANSPORTATION CLASSIFICATION:

NOT HAZARDOUS BY D.O.T. REGULATIONS

DOT PROPER SHIPPING NAME: NOT APPLICABLE

OTHER REQUIREMENTS: NOT APPLICABLE

SECTION XIV OTHER REGULATORY CONTROLS

.THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE EPA/TSCA INVENTORY OF CHEMICAL

SUBSTANCES.

PROTECTION OF STRATOSPHERIC OZONE (PURSUANT TO SECTION 611 OF THE CLEAN AIR ACT AMENDMENTS OF 1990): PER 40 CFR PART 82, THIS PRODUCT DOES NOT CONTAIN NOR WAS IT DIRECTLY MANUFACTURED WITH ANY CLASS I OR CLASS II OZONE DEPLETING SUBSTANCES.

IN ACCORDANCE WITH SARA TITLE III, SECTION 313, THE ATTACHED ENVIRONMENTAL DATA SHEET (EDS) SHOULD ALWAYS BE COPIED AND SENT WITH THE MSDS.

SECTION XV STATE REGULATORY INFORMATION

STATE LISTED COMPONENT	CAS NO	PERCENT	STATE CODE
------------------------	--------	---------	------------

BASED ON INFORMATION AVAILABLE, THIS PRODUCT DOES NOT CONTAIN ANY CHEMICAL SUBSTANCE REGULATED BY A SPECIFIC STATE LIST.

SECTION XVI SPECIAL NOTES

MSDS REVISED IN SECTIONS II-A, II-B, VII AND VIII AND EDS SECTIONS I AND III. THE OSHA HAZARD EVALUATION AND REGULATORY STATUS OF THE PRODUCT HAVE NOT CHANGED.

THE INFORMATION CONTAINED IN THIS DATA SHEET IS BASED ON THE DATA AVAILABLE TO US AT THIS TIME, AND IS BELIEVED TO BE ACCURATE BASED UPON THAT DATA. IT IS PROVIDED INDEPENDENTLY OF ANY SALE OF THE PRODUCT, FOR PURPOSE OF HAZARD COMMUNICATION. IT IS NOT INTENDED TO CONSTITUTE PRODUCT PERFORMANCE INFORMATION, AND NO EXPRESS OR IMPLIED WARRANTY OF ANY KIND IS MADE WITH RESPECT TO THE PRODUCT, UNDERLYING DATA OR THE INFORMATION CONTAINED HEREIN. YOU ARE URGED TO OBTAIN DATA SHEETS FOR ALL PRODUCTS YOU BUY, PROCESS, USE OR DISTRIBUTE, AND ARE ENCOURAGED TO ADVISE THOSE WHO MAY COME IN CONTACT WITH SUCH PRODUCTS OF THE INFORMATION CONTAINED HEREIN.

TO DETERMINE THE APPLICABILITY OR EFFECT OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT, YOU SHOULD CONSULT WITH YOUR LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENT AGENCY. WE WILL NOT PROVIDE ADVICE ON SUCH MATTERS, OR BE RESPONSIBLE FOR ANY INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN. THE UNDERLYING DATA, AND THE INFORMATION PROVIDED HEREIN AS A RESULT OF THAT DATA, IS THE PROPERTY OF DUMONDE DESIGN GROUP INC, AND IS NOT TO BE THE SUBJECT OF SALE OR EXCHANGE WITHOUT THE EXPRESS WRITTEN CONSENT OF DUMONDE DESIGN GROUP INC

ENVIRONMENTAL DATA SHEET

INDUSTRIAL 2-CYCLE OIL TELEPHONE NUMBER:
EMERGENCY ASSISTANCE

DUMONDE DESIGN GROUP INC: 425-806-0948

NAME AND ADDRESS:

DUMONDE DESIGN GROUP INC.
P.O. BOX 3262
KIRKLAND WASH. 98083-3262
PRODUCT CODE: 1401,1404

SECTION I PRODUCT COMPOSITION

NO. COMPOSITION	CAS	PERCENT

INDUSTRIAL 2-CYCLE RACING OIL	MIXTURE	100

I HIGHLY REFINED PETROLEUM OIL MIXTURE* 40-50
 2 ADDITIVES MIXTURE 50-60
 * CONTAINS: 64742-54-7

SECTION II SARA TITLE III INFORMATION

NO.	EHS RQ (* 1)	EHS TPQ (*2)	SEC-313 (* 3)	313 CATEGORY (*4)
-----	-----------------	-----------------	------------------	----------------------

- *1 = REPORTABLE QUANTITY OF EXTREMELY HAZARDOUS SUBSTANCE, SEC 302
- *2 = THRESHOLD PLANNING QUANTITY, EXTREMELY HAZARDOUS SUBSTANCE, SEC 302
- *3 = TOXIC CHEMICAL, SEC 313
- *4 = CATEGORY AS REQUIRED BY SEC 313 (40 CFR 372.65 C), MUST BE USED ON TOXIC RELEASE INVENTORY FORM
- *5 = CATEGORY (FOR AGGREGATE REPORTING REQUIREMENTS UNDER SARA 311, 312)
 - HEALTH: H-1 = IMMEDIATE (ACUTE) HEALTH HAZARD
 - H-2 = DELAYED (CHRONIC) HEALTH HAZARD
 - PHYSICAL: P-3 = FIRE HAZARD
 - P-4 = SUDDEN RELEASE OF PRESSURE HAZARD
 - P-5 = REACTIVE HAZARD

SECTION III ENVIRONMENTAL RELEASE INFORMATION

THIS PRODUCT IS COVERED BY EPA'S COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION AND LIABILITY ACT (CERCLA) PETROLEUM EXCLUSION. THEREFORE, RELEASES TO AIR, LAND, OR WATER ARE NOT REPORTABLE UNDER CERCLA ("SUPERFUND"). HOWEVER, UNDER SECTION 311 OF EPA'S CLEAN WATER ACT (CWA), THIS PRODUCT IS CONSIDERED AN OIL. AS SUCH, SPILLS INTO OR LEADING TO SURFACE WATERS THAT CAUSE A SHEEN MUST BE REPORTED TO THE NATIONAL RESPONSE CENTER, 800-424-8802.

THIS PRODUCT IS AN OIL UNDER 49 CFR (DOT) PART 130. IF SHIPPED BY RAIL OR HIGHWAY IN A TANK WITH A CAPACITY OF 3,500 GALLONS OR MORE, IT IS SUBJECT TO THE REQUIREMENTS OF PART 130. MIXTURES OR SOLUTIONS IN WHICH THIS PRODUCT IS PRESENT AT 10% OR MORE MAY ALSO BE SUBJECT TO THIS RULE.

SECTION IV RCRA INFORMATION

IF THIS PRODUCT BECOMES A WASTE, IT WOULD NOT BE A HAZARDOUS WASTE BY RCRA CRITERIA (40 CFR 261). PLACE IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL REGULATIONS.

THE INFORMATION CONTAINED IN THIS DATA SHEET IS BASED ON THE DATA AVAILABLE TO US AT THIS TIME, AND IS BELIEVED TO BE ACCURATE BASED UPON THAT DATA. IT IS PROVIDED INDEPENDENTLY OF ANY SALE OF THE PRODUCT, FOR PURPOSE OF HAZARD COMMUNICATION. IT IS NOT INTENDED TO CONSTITUTE PRODUCT PERFORMANCE INFORMATION, AND NO EXPRESS OR IMPLIED WARRANTY OF ANY KIND IS MADE WITH RESPECT TO THE PRODUCT, UNDERLYING DATA OR THE INFORMATION CONTAINED HEREIN. YOU ARE URGED TO OBTAIN DATA SHEETS FOR ALL PRODUCTS YOU BUY, PROCESS, USE OR DISTRIBUTE, AND ARE ENCOURAGED TO ADVISE THOSE WHO MAY COME IN CONTACT WITH SUCH PRODUCTS OF THE INFORMATION CONTAINED HEREIN.

TO DETERMINE THE APPLICABILITY OR EFFECT OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT, YOU SHOULD CONSULT WITH YOUR LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENT AGENCY. WE WILL NOT PROVIDE ADVICE ON SUCH MATTERS, OR BE RESPONSIBLE FOR ANY INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN. THE UNDERLYING DATA, AND THE INFORMATION PROVIDED HEREIN AS A RESULT OF THAT DATA, IS THE PROPERTY OF DUMONDE DESIGN GROUP INC. IS NOT TO

BE THE SUBJECT OF SALE OR EXCHANGE WITHOUT THE EXPRESS WRITTEN CONSENT OF
DUMONDE DESIGN GROUP INC.

Rod Falkner -----

DUMONDE DESIGN GROUP
INC.

FOR ADDITIONAL INFORMATION ON THIS ENVIRONMENTAL DATA PLEASE CALL
425-806-0948

i